



Version/Revision (date): 2012-04-12

Printing date: 2012-04-12

page 1 of 6

Voluntary product information based on the format of a safety data sheet for coated abrasives

1. Identification of the product and of the company/undertaking

1.1 Product identifier

Group 3 as annexed

1.2 Use of the product

Coated abrasives for the grinding/sanding of different kinds of materials.

1.3 Details of the supplier of the voluntary product information:

Company: Hermes Schleifmittel GmbH & Co. KG

Address: Luruper Hauptstraße 106

D-22547 Hamburg

Phone: +49-(0)40-8330-0 Fax: +49-(0)40-8330-230

E-mail: hsd@hermes-schleifmittel.com

1.4 Emergency telephone number:

+49-(0)551-19240 (Giftnotrufzentrale - Nord)

2. Hazards identification

2.1. Classification

Not applicable

Abrasives are articles and not dangerous substances or mixtures according to directive 1999/45/EC or Regulation (EC) N° 1272/2008.

See also section 8 and 16.

2.2. Label elements

Abrasives are articles and not dangerous substances or mixtures and therefore no labelling is required according to directive 1999/45/EC or Regulation (EC) N° 1272/2008.

2.3. Other hazards

Not known.





Version/Revision (date): 2012-04-12

Printing date: 2012-04-12

page 2 of 6

3. Composition/information on ingredients

The product contains the following ingredients which are classified according to 67/548/EEC or Regulation (EC) Nr. 1272/2008 or for which a community occupational exposure limit value exists:

Substance	EC-N°	CAS-N°			Classification acc. to Re (EC) N° 1272/2008 (CLI		Classification acc. to Directive
				(,,,	Hazard classes/ hazard categories	Hazard statements	67/548/EWC
cryolite	237-410-6	13775-53-6	01-2119511565-43	as annexed	Acut Tox. Cat. 4 STOT rep. ex. Cat. 1 Repro. Tox. chron. Aqu. Cat. 2	H 332 H 372 H 362 H 411	T : R48/23/25 Xn: R20; R64 N : R51/53
					_		

(For full text of H- and R-phrases see section 16)

4. First aid measures

See also section 8 and 16

4.1. Description of first aid measures

Inhalation: Not possible, due to the form of the product

Eye contact: Not possible, due to the form of the product

Skin contact: No harmful effects known

Ingestion: Not likely, due to the form of the product; if necessary contact physician

Note to physician: Not available.

4.2. Most important symptoms and effects, both acute and delayed

Not known.

4.3. Indication of any immediate medical attention and special treatment needed

Not relevant. Treat symptomatically.

5. Fire fighting measures

5.1. Extinguishing media

Extinguishing media: water, foam, sand, powder or CO₂ as appropriate for surrounding materials





Version/Revision (date): 2012-04-12

Printing date: 2012-04-12

page 3 of 6

5.2. Special hazards arising from the product

Toxic fumes may occur. Use respiratory protective equipment.

5.3. Advice for fire fighters

Extinguishing materials should be selected according to the surrounding area.

6. Accidental release measures

Not applicable.

7. Handling and storage

Follow instructions of grinding machine manufacturers and the relevant national regulations. In addition, observe the safety recommendations of the manufacturer.

8. Exposure controls/personal protection

8.1. Control parameters

Before grinding it is recommended to perform a risk assessment and to use personal protection equipment accordingly.

Occupational exposure limit values and/or biological limit values

Keep exposure to the following components under surveillance. (Observe also the regional official regulations)

Limit value	substance	EC-N°	CAS-N°	Occupational limit value					
type (country				Long term		Short term		Peak limit	source, remark
of origin)	oubotanoo	2011	0/10/11	mg/m³	ml/m³ (ppm)	mg/m³	ml/m³	1 oak min	oodioo, roman
or origin)							(ppm)		
EU	cryolite	237-410-6	13775-53-6	2,5					Respirable dust
LO	Gryonic	207-410-0	10770-00-0	2,0					as F
UK	cryolite	237-410-6	13775-53-6	2					UK.EH40 WELs
UK	ci yonte	237-410-0	13773-33-0	2					2007
UK	cryolite	237-410-6	13775-53-6	2,5					UK.EH40 WELs
UK	Cryonte	237-410-0	13773-33-0	2,5					2007 as F

Note: Hazardous dust of the workpiece material may be generated during grinding and/or sanding operations. National regulations for dust exposure limit values have to be taken into consideration.

8.2. Exposure controls

- 8.2.1. Individual protection measures
- 8.2.1.1. Respiratory protection: Use respiratory protective equipment (type depends on specific application and material being ground)



FEDERATION EUROPEENNE DES FABRICANTS DE PRODUITS ABRASIFS



Group 3 as annexed

Version/Revision (date): 2012-04-12

Printing date: 2012-04-12

page 4 of 6

8.2.1.2. Hand protection: Wear protective gloves

(type depends on specific application and material being ground)

8.2.1.3. Eye protection: Wear protective goggles or face shield

(type depends on specific application and material being ground)

8.2.1.4. Hearing protection: Use hearing protection

(type depends on specific application and material being ground)

8.2.1.5. Body protection: Use protective clothing

(type depends on specific application and material being ground)

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

9.1 Physical state: solid

9.2 Colour: as annexed9.3 Solubility in water: as annexed

9.2. Other information

None.

10. Stability and reactivity

10.1. Reactivity

Coated Abrasives are stable when handled or stored correctly.

10.2. Chemical stability

No decomposition in normal use.

10.3. Possibility of hazardous reactions

No dangerous reactions known.

10.4. Conditions to avoid

Coated Abrasives are stable when handled or stored correctly.

10.5. Incompatible materials

No dangerous reactions known.

10.6. Hazardous decomposition products

At temperatures exceeding 250°C hazardous or toxic decomposition products may be generated.





Version/Revision (date): 2012-04-12

Printing date: 2012-04-12

page 5 of 6

11. Toxicological information

11.1. Information on toxicological effects

No toxicological effects if inhaled or swallowed or with eye or skin contact are known. See also section 8.

12. Ecological information

12.1. Toxicity

No effects known.

12.2. Persistence and degradability

No biodegradable potentials known.

12.3. Bioaccumulative potential

No potentials known.

12.4. Mobility in soil

No potentials known.

12.5. Results of PBT and vPvB assessment

Not relevant.

12.6. Other adverse effects

No effects known.

13. Disposal considerations

13.1. Waste treatment methods

13.1. Product

Follow national and regional regulations.

Due to the ingredients and properties disposal as non hazardous waste (2000/532/EC) is possible
if no hazardous materials are added to the abrasives. (EWC – Nr. 120121),

\boxtimes	Due to the ingredients and properties disposal as hazardous waste (2000/532/EC) (EWC – Nr.
	120120)

13.2. Packing

Follow national and regional regulations.

14. Transport information

The product is not covered by international regulation on the transport of dangerous goods.

15. Regulatory information



FEDERATION EUROPEENNE DES FABRICANTS DE PRODUITS ABRASIFS



Group 3 as annexed

Version/Revision (date): 2012-04-12

Printing date: 2012-04-12

page 6 of 6

15.1. Safety, health and environmental regulations/legislation specific for the product No specific labelling requirements under respective EC directives.

15.2. Chemical safety assessment

Not relevant.

16. Other information

Changes to the previous versions

See sections 1 to 16.

Literature and data sources

Directive (1999/45/EC), amended by Regulation (EC) N°. 1907/2006.

Directive (67/548/EWG), amended by Directive 2009/2/EC.

REACH Regulation (EC) Nr. 1907/2006, amended by Regulation (EC) N° 552/2009.

Regulation (EC) N° 1272/2008, amended by Regulation (EC) N° 790/2009.

Directive 2000/39/EG, amended by Directive 2009/161/EC

Directive 75/324/EWG, amended by Regulation (EC) N° 219/2009.

Transport regulations according to ADR, RID und IATA.

Hazard statements referred to in section 2 and 3

According to Regulation (EC) N° 1272/2008:

H332 Harmful if inhaled

H362 May cause harm to breast-fed children

H372 Causes damage to organs through prolonged or repeated exposure

H411 Toxic to aquatic life with long lasting effects

According to Directive 67/548/EWC:

R20 Harmful by inhalation

R48/23/25 Toxic: danger of serious damage to health by prolonged exposure through inhalation

and if swallowed

R51/53 Toxic to aquatic organisms, may cause long-term adverse effects

in the aquatic environment.

R64 May cause harm to breastfed babies

The above information is based on our current standard of knowledge and does not constitute any warranty of conditions of the product. The information does not form part of any contractual agreement. It remains the user's responsibility to adhere existing laws and regulations.

Issued by: Department MQS

Contact: ehs@hermes-schleifmittel.com

+49(0) - 40-8330 - 0 open Mo - Fr $8^{00} - 15^{00}$ (CET)

Last update: 2012-04-12

Code:	Type	Grit range	Colours	Solubility	Concentration
					Cryolite
11623	CR 116	+: 80-180	green	insignificant	6 - 9%
18400	BW 184	+: 24,40,60+80	blue	insignificant	6 - 8 %
18407	BW 184 Vel	+: 24,36,40,60-150	blue	insignificant	3,5 - 6 %
30660	RB 306 J-flex	P: 60-320+400	reddish brown	insignificant	1 - 3 %
30665	RB 306 J-flex SK	P: 60+120-220	reddish brown	insignificant	1 - 3 %
30667	RB 306 J-flex VEL	P: 80,120-220	reddish brown	insignificant	1 - 3 %
30800	RB 308 J	P: 80,120,180,240	black	insignificant	0,5 - 3 %
31652	RB 316 52 EJ	P: 100,150-220+320	dark brown	insignificant	1 - 3 %
31803	RB 318 EJ	P: 80-320	black	insignificant	0,5 - 3 %
31970	RB 319 X-flex	P: 80,100	black	insignificant	2,5 - 3%
32220	HSB	P: 24-320	reddish brown	insignificant	0 - 10 %
24000	FW 340 X	P: 40, 60-180, 240, 320,	reddish brown	insignificant	1 - 9 %
34000		400+500	reduisii browii		1 - 9 %
34623	RB 346 23 MX	P: 24,36-400	brown	insignificant	1 - 3 %
34625	RB 346 23 MX SK	P: 40, 60-180,240	braun	geringfügig	1 - 3 %
37893	SB 378 ZZ	P: 60-100	reddish brown	insignificant	1,5 - 3 %
38823	SB 388 23 Y	P: 40,60,80,120+150	blue	insignificant	2 - 3 %
41420	RB 414 X	+: 24,36-80	blue	insignificant	3 - 6 %
45440	CR 454 Z	+: 40,60,80+120	green	insignificant	5 - 9 %
48024	RB 480 24 YX	+: 24, 36-120	blue	insignificant	4 - 7 %
48025	RB 480 25 YX SK	P: 120	blue	insignificant	3,5 %
48544	RB 485 Z	+: 36-100	blue	insignificant	6 - 6,5 %
		P: FEPA			
		#: ANSI			
		+: others			