

# SAFETY DATA SHEET

## SCL-255

Issued on 07/03/2013 - Rel. # 3 on 05/04/2015

In conformity to Regulation (EU) 2015/830

MIJLPAAL PRODUKTEN

Oud Camp 22  
3155 DL Maasland  
The Netherlands

T: +31 (0)88 697 2560

F: +31 (0)88 697 2598

E: sales@mijlpaalprodukten.nl  
www.mijlpaalprodukten.nl

### SECTION1. Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product code : SCL-255  
Trades code : 071

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Electrolytic cleaning fluid - Electrolytic cleaning, polishing and passivating fluid for Stainless Steel surface for specific use with electrolytic brush equipment.  
Industrial Manufacturing (all)[SU3], Public domain (administration, education, entertainment, services, craftsmen)[SU22]

Uses advised against  
Do not use for purposes other than those listed

#### 1.3. Details of the supplier of the safety data sheet

Delmet srl  
Via Bergamo, 6, 20064 Gorgonzola (MI)  
tel. 0039-(0)2-9517504  
Email: info@delmet.it - www.delmet.it

#### 1.4. Emergency telephone number

Delmet srl - 0039-(0)2-9517504

### SECTION2. Hazards identification

#### 2.1. Classification of the substance or mixture

CAS 7664-38-2 CEE 015-011-00-6 EINECS 231-633-2

2.1.1 Classification according to Regulation (EC) No 1272/2008:

Pictograms:  
GHS05

Hazard Class and Category Code(s):  
Skin Corr. 1A

Hazard statement Code(s):  
H314 - Causes severe skin burns and eye damage.

2.1.2 Classification according to Directive 1999/45/EEC:

Classification:  
C; R35

Nature of special risks attributed:  
R35 - Causes severe burns.

Corrosive product: causes severe skin burns and eye damage.

# SAFETY DATA SHEET

## SCL-255

MIJLPAAL PRODUKTEN

Oud Camp 22  
3155 DL Maasland  
The Netherlands

T: +31 (0)88 697 2560

F: +31 (0)88 697 2598

E: sales@mijlpaalprodukten.nl  
www.mijlpaalprodukten.nl

Issued on 07/03/2013 - Rel. # 3 on 05/04/2015

In conformity to Regulation (EU) 2015/830

### 2.2. Label elements

Labelling according to Regulation (EC) No 1272/2008:

Pictogram, Signal Word Code(s):  
GHS05 - Danger

Hazard statement Code(s):  
H314 - Causes severe skin burns and eye damage.

Precautionary statements:

Prevention

P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Response

P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.

P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 - Immediately call a POISON CENTER/doctor; show the label

Disposal

P501 - Dispose of contents/container dispose of according to local regulations

Contains:

phosphoric acid



### 2.3. Other hazards

Substance/mixture meets the criteria for PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

No information on other hazards

## SECTION3. Composition/information on ingredients

### 3.1 Substances

Irrilevant

### 3.2 Mixtures

Refer to paragraph 16 for full text of risk phrases and hazard statements

Substance	Concentration	Classification	Index	CAS	EINECS	REACH
phosphoric acid	>75<100%	C; R34 Skin Corr. 1B, H314	015-011-00-6	7664-38-2	231-633-2	

## SECTION4. First aid measures

### 4.1. Description of first aid measures

Inhalation:

Air the area. Move immediately the contaminated patient from the area and keep him at rest in a well ventilated room.

# SAFETY DATA SHEET

## SCL-255

Issued on 07/03/2013 - Rel. # 3 on 05/04/2015

In conformity to Regulation (EU) 2015/830

MIJLPAAL PRODUKTEN

Oud Camp 22  
3155 DL Maasland  
The Netherlands

T: +31 (0)88 697 2560

F: +31 (0)88 697 2598

E: sales@mijlpaalprodukten.nl  
www.mijlpaalprodukten.nl

CALL A PHYSICIAN.

Direct contact with skin (of the pure product):

Take contaminated clothing Immediately off.

In case of contact with skin, wash immediately with water

Consult a physician immediately

Direct contact with eyes (of the pure product):

Wash immediately and thoroughly with running water, keeping eyelids open for at least 10 minutes, then protect your eyes with a dry sterile gauze. Seek medical advice immediately

Do not use eye drops or ointments of any kind before the examination or advice from an oculist.

Ingestion:

Drink water with egg white; do not give bicarbonate.

Absolutely do not induce vomiting or emesis. Seek medical advice immediately.

### 4.2. Most important symptoms and effects, both acute and delayed

No data available.

### 4.3. Indication of any immediate medical attention and special treatment needed

Immediately call a POISON CENTER/doctor; show the label

## SECTION 5. Firefighting measures

### 5.1. Extinguishing media

Advised extinguishing agents:

Water spray, CO<sub>2</sub>, foam, dry chemical, depending on the materials involved in the fire.

Extinguishing means to avoid:

Water jets. Use water jets only to cool the surfaces of the containers exposed to fire.

### 5.2. Special hazards arising from the substance or mixture

No data available.

### 5.3. Advice for firefighters

Use protection for the breathing apparatus

Safety helmet and full protective suit.

The spray water can be used to protect the people involved in the extinction

You may also use selfrespirator, especially when working in confined and poorly ventilated area and if you use halogenated extinguishers (Halon 1211 fluobrene, Solkan 123, NAF, etc...)

Keep containers cool with water spray

## SECTION 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel:

Leave the area surrounding the spill or release. Do not smoke

# SAFETY DATA SHEET

## SCL-255

Issued on 07/03/2013 - Rel. # 3 on 05/04/2015

In conformity to Regulation (EU) 2015/830

MIJLPAAL PRODUKTEN

Oud Camp 22  
3155 DL Maasland  
The Netherlands

T: +31 (0)88 697 2560

F: +31 (0)88 697 2598

E: sales@mijlpaalprodukten.nl  
www.mijlpaalprodukten.nl

Wear mask, gloves and protective clothing.

### 6.1.2 For emergency responders:

Wear mask, gloves and protective clothing.

Eliminate all unguarded flames and possible sources of ignition. No smoking.

Provision of sufficient ventilation.

Evacuate the danger area and, in case, consult an expert.

## 6.2. Environmental precautions

Contain spill with earth or sand.

If the product has entered a watercourse in sewers or has contaminated soil or vegetation, notify it to the the authorities.

Discharge the remains in compliance with the regulations

## 6.3. Methods and material for containment and cleaning up

### 6.3.1 For containment:

Rapidly recover the product, wear a mask and protective clothing

Recover the product for reuse, if possible, or for removal. Possibly absorb it with inert material.

Prevent it from entering the sewer system.

### 6.3.2 For cleaning up:

After wiping up, wash with water the area and materials involved

### 6.3.3 Other information:

None in particular.

## 6.4. Reference to other sections

Refer to paragraphs 8 and 13 for more information

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Avoid contact and inhalation of vapors

In residential areas do not use on large surfaces.

At work do not eat or drink.

See also paragraph 8 below.

### 7.2. Conditions for safe storage, including any incompatibilities

Keep in original container closed tightly. Do not store in open or unlabeled containers.

Keep containers upright and safe by avoiding the possibility of falls or collisions.

Store in a cool place, away from sources of heat and direct exposure of sunlight.

### 7.3. Specific end use(s)

Industrial Manufacturing (all):

Handle with extreme caution.

Store in a well ventilated area, away from direct heat sources.

Public domain (administration, education, entertainment, services, craftsmen):

Handle with care.

Store in a dry, ventilated place away from sources of heat,

# SAFETY DATA SHEET

## SCL-255

Issued on 07/03/2013 - Rel. # 3 on 05/04/2015

In conformity to Regulation (EU) 2015/830

MIJLPAAL PRODUKTEN

Oud Camp 22  
3155 DL Maasland  
The Netherlands

T: +31 (0)88 697 2560

F: +31 (0)88 697 2598

E: sales@mijlpaalprodukten.nl  
www.mijlpaalprodukten.nl

Keep container tightly closed.

### SECTION 8. Exposure controls/personal protection

#### 8.1. Control parameters

phosphoric acid:

TLV: 1 mg / m<sup>3</sup> as TWA 3 mg / m<sup>3</sup> as STEL (ACGIH 2004).

MAK: (Inhalable fraction) 2 mg / m<sup>3</sup> Peak limitation category: I (2); Pregnancy risk group: C; (DFG 2005).

EU OEL: 1 mg / m<sup>3</sup> (8h), 2 mg / m<sup>3</sup> (short-term.)

#### 8.2. Exposure controls

Appropriate engineering controls:

Industrial Manufacturing (all):

No specific control expected

Public domain (administration, education, entertainment, services, craftsmen):

No specific control expected

Individual protection measures:

(a) Eye / face protection

When handling the pure product use safety glasses (spectacles cage) (EN 166).

(b) Skin protection

(i) Hand protection

When handling the pure product use chemical resistant protective gloves (EN 374-1/EN374-2/EN374-3)

(ii) Other

When handling the pure product wear full protective skin clothing.

(c) Respiratory protection

Use adequate protective respiratory equipment (EN 141)

(d) Thermal hazards

No hazard to report

Environmental exposure controls:

Use according to good working practices to avoid pollution into the environment.



### SECTION 9. Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Physical and chemical properties	Value	Determination method
Appearance	liquid	
Odour	odorless	
Odour threshold	not determined	
pH	zuur	
Melting point/freezing point	not determined	

# SAFETY DATA SHEET

## SCL-255

MIJLPAAL PRODUKTEN

Oud Camp 22  
3155 DL Maasland  
The Netherlands

T: +31 (0)88 697 2560

F: +31 (0)88 697 2598

E: sales@mijlpaalprodukten.nl

www.mijlpaalprodukten.nl

Issued on 07/03/2013 - Rel. # 3 on 05/04/2015

In conformity to Regulation (EU) 2015/830

Physical and chemical properties	Value	Determination method
Initial boiling point and boiling range	not determined	
Flash point	nonflammable	
Evaporation rate	not determined	
Flammability (solid, gas)	irrelevant	
Upper/lower flammability or explosive limits	irrelevant	
Vapour pressure	not determined	
Vapour density	not determined	
Relative density	1,57±0,1 g/cc a 20°C	
Solubility	in water	
Water solubility	totaly	
Partition coefficient: n-octanol/water	not determined	
Auto-ignition temperature	irrelevant	
Decomposition temperature	not determined	
Viscosity	not determined	
Explosive properties	irrelevant	
Oxidising properties	irrelevant	

### 9.2. Other information

No data available.

## SECTION 10. Stability and reactivity

### 10.1. Reactivity

No reactivity hazards

### 10.2. Chemical stability

No hazardous reaction when handled and stored according to provisions.

### 10.3. Possibility of hazardous reactions

There are no hazardous reactions

### 10.4. Conditions to avoid

Nothing to report

### 10.5. Incompatible materials

bases

# SAFETY DATA SHEET

## SCL-255

Issued on 07/03/2013 - Rel. # 3 on 05/04/2015

In conformity to Regulation (EU) 2015/830

MIJLPAAL PRODUKTEN

Oud Camp 22  
3155 DL Maasland  
The Netherlands

T: +31 (0)88 697 2560

F: +31 (0)88 697 2598

E: sales@mijlpaalprodukten.nl  
www.mijlpaalprodukten.nl

### 10.6. Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11. Toxicological information

### 11.1. Information on toxicological effects

ATE(mix) oral = 0,0 mg/kg  
ATE(mix) dermal = 0,0 mg/kg  
ATE(mix) inhal = 0,0 mg/l/4 h

- (a) acute toxicity: not applicable
- (b) skin corrosion/irritation: Corrosive product: causes severe skin burns and eye damage.
- (c) serious eye damage/irritation: Corrosive product: causes severe skin burns and eye damage.
- (d) respiratory or skin sensitization: not applicable
- (e) germ cell mutagenicity: not applicable
- (f) carcinogenicity: not applicable
- (g) reproductive toxicity: not applicable
- (h) specific target organ toxicity (STOT) single exposure: not applicable
- (i) specific target organ toxicity (STOT) repeated exposure: not applicable
- (j) aspiration hazard: not applicable

phosphoric acid:

ROUTES OF EXPOSURE: The substance can be absorbed into the body by inhalation of its aerosol and by ingestion. Inhalation risk A harmful contamination of the air will not be achieved at all or will very slowly on evaporation of this substance at 20 ° C.

EFFECTS OF SHORT-TERM EXPOSURE: The substance 'corrosive to the eyes, the skin and the respiratory tract. Corrosive on ingestion.

ACUTE HAZARDS / SYMPTOMS:

Inhalation Burning sensation. Cough. Shortness of breath. Sore throat.

SKIN: Redness. Pain. Skin burns. Blisters.

EYES: Pain. Redness. Severe deep burns.

Ingestion: Abdominal pain. Burning sensation. Shock or collapse.

Acute toxicity: LD50 oral (rat): 1530mg / kg (anhydrous product)

## SECTION 12. Ecological information

### 12.1. Toxicity

phosphoric acid:

ENVIRONMENTAL EFFECTS: acid, nutrient of undesirable algae.

ECOTOXICITY :

Gambusia TLM 138 mg / l 24/26 hours in murky water 22-24 °

Persistence: while the acidity can be neutralized by the natural hardness of the water, the phosphate may persist indefinitely.

Bioaccumulation potential: nullo.anidro)

Use according to good working practices to avoid pollution into the environment.

# SAFETY DATA SHEET

## SCL-255

Issued on 07/03/2013 - Rel. # 3 on 05/04/2015

In conformity to Regulation (EU) 2015/830

MIJLPAAL PRODUKTEN

Oud Camp 22  
3155 DL Maasland  
The Netherlands

T: +31 (0)88 697 2560

F: +31 (0)88 697 2598

E: sales@mijlpaalprodukten.nl  
www.mijlpaalprodukten.nl

### 12.2. Persistence and degradability

No data available.

### 12.3. Bioaccumulative potential

No data available.

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

Substance/mixture meets the criteria for PBT/vPvB according to Regulation (EC) No 1907/2006, Annex XIII

### 12.6. Other adverse effects

No adverse effects

## SECTION 13. Disposal considerations

### 13.1. Waste treatment methods

Do not reuse empty containers. Dispose of them in accordance with the regulations in force. Any remaining product should be disposed of according to applicable regulations by addressing to authorized companies.

Recover if possible. Send to authorized discharge plants or for incineration under controlled conditions. Operate according to local and National rules in force

## SECTION 14. Transport information

### 14.1. UN number

1805

If subject to the following characteristics is ADR exempt:

Combination packagings: per inner packaging 5 L per package 30 Kg

Inner packagings placed in skrink-wrapped or stretch-wrapped trays: per inner packaging 5 L per package 20 Kg



### 14.2. UN proper shipping name

PHOSPHORIC ACID, SOLUTION

### 14.3. Transport hazard class(es)

Class : 8

Label : 8



# SAFETY DATA SHEET

## SCL-255

Issued on 07/03/2013 - Rel. # 3 on 05/04/2015

In conformity to Regulation (EU) 2015/830

**MIJLPAAL PRODUKTEN**

Oud Camp 22  
3155 DL Maasland  
The Netherlands

T: +31 (0)88 697 2560

F: +31 (0)88 697 2598

E: sales@mijlpaalprodukten.nl  
www.mijlpaalprodukten.nl

Tunnel restriction code : E  
Limited quantities : 5 L  
EmS : F-A, S-B

#### 14.4. Packing group

III

#### 14.5. Environmental hazards

Product is not environmentally hazardous  
Marine polluting agent : Not

#### 14.6. Special precautions for user

No data available.

#### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

It is not intended to carry bulk

### SECTION 15. Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

No data available.

#### 15.2. Chemical safety assessment

No chemical safety assessment was carried out by the supplier

### SECTION 16. Other information

#### 16.1. Other information

Description of the sentences of risk set out in paragraph 3  
R34 = Causes burns.

Description of the hazard statements exposed to point 3  
H314 = Causes severe skin burns and eye damage.

Classification based on data of all mixture components